





NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5. 6. 7. 8. 9.
- DESIGN WAVELENGTH: 588nm
 FOCAL LENGTH: 1000.0mm ± 1%
 BACK FOCAL LENGTH (REF): 998.6mm
 CLEAR APERTURE: >22.86mm
 SURFACE QUALTIY: 40-20 SCRATCH-DIG
 CENTRATION: <3 arcmin
 DIAMETER TOLERANCE: +0.0/-0.1mm
 THICKNESS TOLERANCE: ±0.1mm
 COATING: BBAR Ravg <1.25% FROM 2µm-5µm, 0° AOI
 ON BOTH OPTICAL SURFACES

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

| DRAWING PROJECTION | | | THORLABS www.thorlabs.com | | |
|--|------|-----------|--|----------------|-----------|
| | NAME | DATE | CaF2 PLANO-CONVEX LENS, | | |
| DRAWN | EMT | 20/JAN/14 | ϕ 25.4mm, f=1000.0mm, BBAR: 2 μ m-5 μ n | | -5µm |
| APPROVAL | MI | 08/APR/14 | MATERIAL VACUUM UV GRADE REV | | REV |
| COPYRIGHT © 2014 BY THORLABS | | | CALCIUM FLUORIDE | | В |
| VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS | | | ITEM # LA5835-E | APPROX WE 3.40 | IGHT J |