



NOTES/SPECIFICATIONS:

1. DESIGN WAVELENGTH: 10.6 μ m
2. FOCAL LENGTH: 25.4mm
3. BACK FOCAL LENGTH: 20.9mm
4. CLEAR APERTURE: >20.32mm
5. SURFACE QUALITY: 60-40 SCRATCH-DIG
6. CENTRATION: <3 arcmin
7. DIAMETER TOLERANCE: +0.0/-0.1mm
8. THICKNESS TOLERANCE: \pm 0.1mm
9. COATING (S1, S2): BBAR 7-12 μ m, Ravg <1.0%, Rabs <2.0%, Tavg >97%, Tabs >92%, 0° AOI

FOR INFORMATION ONLY
NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION			 www.thorlabs.com	
	NAME	DATE		
DRAWN	MG	30/OCT/20	ZnSe POSITIVE MENISCUS LENS \varnothing 25.4mm, f=25.4mm, BBAR: 7.0-12.0 μ m	
APPROVAL	DD	04/NOV/20	MATERIAL	REV
COPYRIGHT © 2020 BY THORLABS VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUND OFF ERRORS			ZINC SELENIDE	A
			ITEM #	APPROX WEIGHT
			LE7185-E3	10 g