
	PART DESCRIPTION	MATERIAL
1	SM1RR	ANODIZED ALUMINUM
2	LA4725-C	UV FUSED SILICA
3	ENGRAVED HOUSING	ANODIZED ALUMINUM





## NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5. 6.
- DESIGN WAVELENGTH: 546nm FOCAL LENGTH: f=75.0mm±1% WORKING DISTANCE (REF): 68.2mm CLEAR APERTURE: > Ø 22.86mm SURFACE QUALITY: 40-20 SCRATCH-DIG COATING: BBAR Rayg<0.5% FROM 1050-1700nm, AOI: 0°, ON OUTER OPTICAL SURFACES

## FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

	DRAWING PROJECTION					
		NAME	DATE	Ø 1" MOUNTED PLANO-CONVE		
	DRAWN	GG	13/OCT/15	LENS, f=75mm, -C COAT		
	APPROVAL	DD	13/OCT/15			REV
COPYRIGHT © 2015 BY THOR		BY THORLABS	JEE IADLE		А	
	VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			LA4725-C-ML	APPROX WE	IGHT