



## NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 587.6nm
- FOCAL LENGTH: f=-498.4mm
- BACK FOCAL LENGTH(REF): bf=-496.3mm CLEAR APERTURE: >90% OF DIAMETER
- SURFACE QUALITY: 40-20 SCRATCH-DIG
- CENTRATION: <3arcmin
  DIAMETER TOLERANCE: +0.0/-0.1mm
- THICKNESS TOLERANCE: ±0.1mm
  COATING: BBAR Ravg<0.5% FROM 1050-1700nm, AOI: 0°,
  ON OUTER OPTICAL SURFACES

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

| DRAWING<br>PROJECT   |      |           | THORLABS<br>www.thorlabs.com   |           |      |
|--|------|-----------|--------------------------------|-----------|------|
|  | NAME | DATE      | $\phi$ = 25.4mm f=-500mm N-BK7 |           | K7   |
| DRAWN  | WD   | 19/NOV/09 | l                              |           |      |
| APPROVAL   | DD   | 17/FEB/15 | MATERIAL                       |           | REV  |
| COPYRIGHT © 2015 BY THORLABS   |      |           | N-BK7                          |           | C    |
| VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS |      |           | LF1988-C                       | APPROX WE | IGHT |