





NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5. 6. 7. 8. 9.

- DESIGN WAVELENGTH: 10.6 µm
 FOCAL LENGTH: f=500.0 mm±1%
 BACK FOCAL LENGTH(REF): bf=499.1 mm
 CLEAR APERTURE: > Ø 20.3 mm
 SURFACE QUALITY (\$1, \$2): 60-40 SCRATCH-DIG
 CENTRATION: <3 arcmin
 DIAMETER TOLERANCE: +0.0/-0.1 mm

- THICKNESS TOLERANCE: ±0.1 mm COATING (S1, S2): BBAR 4.5-7.5 µm, Ravg: <1.0%, Rabs: <2.0%, Tavg: >97%, Tabs: >94%, 0° AOI

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION			THORLABS www.thorlabs.com		
	NAME	DATE	ZnSe PLANO-CONVEX LENS,		
DRAWN	GG	30/MAY/19	\emptyset 25.4 mm, f=500 mm, BBAR: 4.5-7.5 μ m		
APPROVAL	DD	30/MAY/19	MATERIAL REV		REV
COPYRIGHT © 2019 BY THORLABS			ZIINC SELEINIDE		Α
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			LA7270-E2	APPROX WE	IGHT