
	PART DESCRIPTION	MATERIAL
1	SM1RR	ANODIZED ALUMINUM
2	LA4236-UV	UV FUSED SILICA
3	ENGRAVED HOUSING	ANODIZED ALUMINUM





NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5. 6.

- DESIGN WAVELENGTH: 546nm FOCAL LENGTH: f=125.0mm±1% WORKING DISTANCE (REF): 118.9mm CLEAR APERTURE: >Ø22.86mm SURFACE QUALITY: 40-20 SCRATCH-DIG COATING: BBAR Ravg<0.5% FROM 245-400nm, AOI: 0°, ON OUTER OPTICAL SURFACES

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION					
	NAME	DATE	ϕ 1" MOUNTED PLANO-CONVEX		VEX
DRAWN	GG	13/OCT/15	LENS, f=125mm, -UV COAT		
APPROVAL	DD	13/OCT/15			REV
COPYRIGHT © 2015 BY THORLABS		BY THORLABS	SEE TABLE		А
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			ITEM # LA4236-UV-ML	APPROX WE	IGHT