





25:1 ISOMETRIC VIEW FOR REFERENCE ONLY

NOTES/SPECIFICATIONS:

- 1. DESIGN WAVELENGTH: 587.6nm
- 2. FOCAL LENGTH: f=4.0mm±1%
- 3. BACK FOCAL LENGTH (REF): bf=3.31mm
- 4. CLEAR APERTURE: >1.8mm
- 5. SURFACE QUALITY: 60-40 SCRATCH-DIG
- 6. CENTRATION: ≤5 arcmin
- 7. DIAMETER TOLERANCE: +0.00/-0.02mm
- 8. THICKNESS TOLERANCE: ±0.03mm
- 9. COATING: BBAR Ravg<0.5% FROM 650-1050nm, AOI: 0°

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

	DRAWING PROJECTION			THORLARS www.thorlabs.com		
		NAME	DATE	Ø2mm f=4mm UV F	USED SILI	CA
	DRAWN	YB	24/JAN/19	PLANO CONVEX LENS, -B COAT		
	APPROVAL	NE	24/JAN/19	MATERIAL UV FUSED SILI	$\subset \Lambda$	REV
	COPYRIGHT © 2019 BY THORLABS			UV FUSED SILICA		Α
	VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			ITEM # LA4024-B	APPROX WE 0.006	ight g