





## NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 10.6 µm
  FOCAL LENGTH: f=-100.0 mm±1%
  BACK FOCAL LENGTH(REF): bf=-100.8 mm
  CLEAR APERTURE: > Ø 20.3 mm
  SURFACE QUALITY (\$1, \$2): 60-40 \$CRATCH-DIG
  CENTRATION: <3 arcmin
  DIAMETER TOLERANCE: +0.0/-0.1 mm
- - THICKNESS TOLERANCE: ±0.1 mm
- COATING (\$1, \$2): BBAR 7.0-12.0 µm, Ravg: <1.0%, Rabs: <2.0%, Tavg: >97%, Tabs: >92%, 0° AOI

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION			THORLARS  www.thorlabs.com		
	NAME	DATE	ZnSe PLANO-CONCAVE LENS,		
DRAWN	JAC	23/JAN/20	Ø 25.4 mm, f=-100 mm, BBAR: 7.0-12.0 μm		
APPROVAL	DD	23/JAN/20	MATERIAL REV		REV
COPYRIGHT © 2020 BY THORLABS			ZIINC SELEINIDE		Α
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			LC7414-E3	APPROX WE	IGHT