
| | PART DESCRIPTION | MATERIAL |
|---|---------------------|----------------------|
| 1 | SM2RR | ANODIZED ALUMINUM |
| 2 | LA1727-C | N-BK7 |
| 3 | ENGRAVED HOUSING | ANODIZED ALUMINUM |





NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5. 6.
- DESIGN WAVELENGTH: 633nm FOCAL LENGTH: f=750.0mm±1% WORKING DISTANCE (REF): 743.7mm CLEAR APERTURE: >Ø45.72mm SURFACE QUALITY: 40-20 SCRATCH-DIG COATING: BBAR Ravg<0.5% FROM 1050-1700nm, AOI: 0°, ON OUTER OPTICAL SURFACES

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

| DRAWING PROJECTION | | | | | |
|---|------|-------------|--------------------------------|-----------|-----------|
| | NAME | DATE | ϕ 2" MOUNTED PLANO-CONVEX | | |
| DRAWN | GG | 15/OCT/15 | LENS, f=750mm, -C COAT | | |
| APPROVAL | DD | 15/OCT/15 | | | REV |
| COPYRIGHT © 2015 BY THORLABS | | BY THORLABS | SEE TABLE | | A |
| VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS | | | LA1727-C-ML | APPROX WE | ight I |