



NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 587.6nm
- 2. FOCAL LENGTH: f=149.5mm ± 1%
- BACK FOCAL LENGTH(REF): bf=141.1mm
- CLEAR APERTURE: >90%
- 5. SURFACE QUALITY: 40-20 SCRATCH-DIG
- 6. CENTRATION: <3arcmin
- DIAMETER TOLERANCE: +0.0/-0.1mm 7.
- 8. THICKNESS TOLERANCE: ±0.1mm
- COATING: BBAR Rayg<0.5% FROM 650nm-1050nm, 0° AOI, ON OUTER OPTICAL SURFACES

ALL DIMENSIONS ARE IN THE FORM $\frac{[in]}{mm}$.

THIS DRAWING IS FOR INFORMATION ONLY NOT INTENDED FOR MANUFACTURING

NAME DATE 11/19/2009 DRAWN WD ENG APPR. BW 11/24/2009 MFG APPR. DD 12/09/2009 PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF THORLABS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THORLABS, INC. IS PROHIBITED.

THORLABS INC. PO BOX 366 NEWTON NJ

TITLE: D=75.0 F=150.0 N-BK7 B COAT PLANO CONVEX LENS

MATERIAL: SIZE REV. N-BK7 Α В SCALE: 1:1 SHEET 1 OF 1 DWG. NO. PART NO. LA1002-B 4526-E01

3 2