
	PART DESCRIPTION	MATERIAL
1	SM2RR	ANODIZED ALUMINUM
2	LA1050-C	N-BK7
3	ENGRAVED HOUSING	ANODIZED ALUMINUM



## NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5. 6.
- DESIGN WAVELENGTH: 633nm
  FOCAL LENGTH: f=100.0mm±1%
  WORKING DISTANCE (REF): 89.8mm
  CLEAR APERTURE: > Ø 45.72mm
  SURFACE QUALITY: 40-20 SCRATCH-DIG
  COATING: BBAR Ravg<0.5% FROM 1050-1700nm, AOI: 0°,
  ON OUTER OPTICAL SURFACES

## FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION		€	THORLABS www.thorlabs.com		
	NAME	DATE	Ø 2" MOUNTED PLANO-CONV		(VE
DRAWN	GG	15/OCT/15	LENS, f=100mm, -C COA		
APPROVAL	DD	15/OCT/15	MATERIAL		REV
COPYRIGHT © 2015 BY THORLABS		BY THORLABS	SEE TABLE		Α
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS		ARE CALCULATED	ITEM # LA1050-C-ML	APPROX WE	ight J