
	PART DESCRIPTION	MATERIAL				
1	SMIRR	ANODIZED ALUMINUM				
2	LA1258-C	N-BK7				
3	ENGRAVED HOUSING	ANODIZED ALUMINUM				





NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5.
- DESIGN WAVELENGTH: 587.6 nm FOCAL LENGTH: $f=2000.0 \text{ mm} \pm 1\%$ WORKING DISTANCE (REF): 1994.8 mm CLEAR APERTURE: \emptyset 22.9 mm SURFACE QUALITY: 40-20 SCRATCH-DIG COATING (S1 & S2): BBAR 1050-1700 nm, Ravg: <0.5%, 0° AOI

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION			THOR LABS			
	NAME	DATE	MOUNTED Ø 25.4 mm f=2000.0			
DRAWN	GG	28/AUG/18	PLANO CÓNVEX LEN			
APPROVAL	DD	10/SEP/18	MATERIAL		REV	
COPYRIGHT © 2019 BY THORLABS		BY THORLABS	SEE TABLE		Α	
		* DE C * I C I I * TED	ITEM #	APPROX WEIGHT		
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			LA1258-C-ML	8 g		