
	PART DESCRIPTION	MATERIAL
1	SM2RR	ANODIZED ALUMINUM
2	LA1256-C	N-BK7
3	ENGRAVED HOUSING	ANODIZED ALUMINUM



NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 633nm
 FOCAL LENGTH: f=300.0mm±1%
 WORKING DISTANCE (REF): 292.8mm
 CLEAR APERTURE: > Ø 45.72mm
 SURFACE QUALITY: 40-20 SCRATCH-DIG
 COATING: BBAR Ravg<0.5% FROM 1050-1700nm, AOI: 0°,
 ON OUTER OPTICAL SURFACES 1. 2. 3. 4. 5. 6.

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION		$\Rightarrow \Box$	THORLABS www.thorlabs.com		
	NAME	DATE	Ø 2" MOUNTED PLA		VE
DRAWN	GG	15/OCT/15	LENS, f=300mm, -C CO/		
APPROVAL	DD	15/OCT/15	MATERIAL		REV
COPYRIGHT © 2015 BY THORLABS		BY THORLABS	SEE TABLE		Α
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			LA1256-C-ML	APPROX WE	IGHT