



## NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 587.6nm
- 2. FOCAL LENGTH: f=199.3mm ± 1%
- BACK FOCAL LENGTH(REF): bf=192.7mm
- CLEAR APERTURE: >90%
- SURFACE QUALITY: 40-20 SCRATCH-DIG 5.
- 6. CENTRATION: <3arcmin
- 7. DIAMETER TOLERANCE: +0.0/-0.1mm
- 8. THICKNESS TOLERANCE: ±0.1mm
- COATING: BBAR Rayg<0.5% FROM 650nm-1050nm, 0° AOI, ON OUTER OPTICAL SURFACES

ALL DIMENSIONS ARE IN THE FORM  $\frac{[in]}{mm}$ THIS DRAWING IS FOR INFORMATION ONLY NOT INTENDED FOR MANUFACTURING

## THORLABS INC. PO BOX 366 NEWTON NJ NAME DATE TITLE: D-75 0 5-000 0 NL DV7 D 11/19/2009 DRAWN WD ENG APPR. BW 11/24/2009

DD PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS

12/09/2009

MFG APPR.

DRAWING IS THE SOLE PROPERTY OF THORLABS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THORLABS, INC. IS PROHIBITED.

COAT PLANO CONVEX LENS					
MATERIAL: N-BK7			SIZE A	REV. B	
SCALE: 1:1	SCALE: 1:1		SHEET 1 OF 1		
DWG. NO. 4527-E01	PART NO. LA1353-B				

3 2