
	PART DESCRIPTION	MATERIAL
1	SM05RR	ANODIZED ALUMINUM
2	LC1439-C	N-BK7
3	ENGRAVED ANODIZE HOUSING ALUMINU	





## NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 633nm 1.
- 2. 3.
- 4. 5.
- FOCAL LENGTH: f=-50.0mm  $\pm 1\%$ WORKING DISTANCE (REF): -43.2mm CLEAR APERTURE: >0/11.0mmSURFACE QUALITY: 40-20 SCRATCH-DIG COATING: BBAR Ravg<0.5% FROM 1050-1700nm, AOI: 0°, ON OUTER OPTICAL SURFACES 6.

## FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION						
	NAME	DATE	$\phi$ 1/2" MOUNTED PLAN	IO-CONC	NCAVE	
DRAWN	GG	20/NOV/15	EENS, f=-50mm, -C COAT			
APPROVAL	DD	20/NOV/15	MATERIAL SEE TABLE		REV	
COPYRIGHT © 2015 BY THORLABS		BY THORLABS			A	
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			LC1439-C-ML	APPROX WE	IGHI	