



NOTES:

1. SUBSTRATE MATERIAL:
FLOAT GLASS
2. COATING (APPLW ACROSS CLEAR APERTURE):
S1: BARE ALUMINUM
S2: NONE
3. BLAZE ANGLE: 36° 52'
NOMINAL BLAZE WAVELENGTH: 1000nm
EFFICIENCY: 60-80% @ BLAZE WAVELENGTH



4. EDGES GROUND
5. RoHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**

EO® Edmund Optics®

| | | | | | | | |
|----------------|---------------|---------------|------------------------|----|--------|--|--------------|
| | S1 | S2 | THIRD ANGLE PROJECTION | | TITLE | GRATING DIFF 1200GR 1000nm 12.7 x 12.7 | |
| SHAPE | PLANO | PLANO | ALL DIMS IN | mm | DWG NO | 43753 | SHEET 1 OF 1 |
| CLEAR APERTURE | 11.43 x 11.43 | 11.43 x 11.43 | | | | | |