





- NOTES/SPECIFICATIONS:
 1. DESIGN WAVELENGTH: 587.6nm
- 2. FOCAL LENGTH: f=- 9.0mm ± 1%
- BACK FOCAL LENGTH(REF): bf= -10.0mm
- CLEAR APERTURE: >90%
- SURFACE QUALITY: 40-20 SCRATCH-DIG 5.
- 6. CENTRATION: <3arcmin
- 7. DIAMETER TOLERANCE: +0.0/-0.1mm
- 8. THICKNESS TOLERANCE: ±0.1mm
- COATING: BBAR Rayg<0.5% FROM 650nm-1050nm, 0° AOI, ON OUTER OPTICAL SURFACES

ALL DIMENSIONS ARE IN THE FORM $\frac{[in]}{mm}$

THIS DRAWING IS FOR INFORMATION ONLY NOT INTENDED FOR MANUFACTURING

			THORLABS INC. PO I	SOX /TON	366 I N I
	NAME	DATE			
DRAWN	BAG	12/14/2009	TITLE: D= 9.0 F= -9.0 N-SF11 B CO.)AT	
ENG APPR.	SG	12/22/2009	PLANO CONCAVE LENS		
MFG APPR.	PM	12/23/2009	MATERIAL:	CIZE	DEV
PROPRIETARY AND CONFIDENTIAL			N-SF11	2IZE	REV.
THE INFORMATION CONTAINED IN THIS					

DRAWING IS THE SOLE PROPERTY OF THORLABS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF THORLABS, INC. IS PROHIBITED.

E LENS SIZE REV. Α С SCALE: 6:1 SHEET 1 OF 1 DWG. NO. PART NO. 5432-E01 LC2067-B

3 2