
	PART DESCRIPTION	MATERIAL
1	SM2RR	ANODIZED ALUMINUM
2	LA1725-B	N-BK7
3	ENGRAVED HOUSING	ANODIZED ALUMINUM





NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5. 6.

- DESIGN WAVELENGTH: 633nm FOCAL LENGTH: f=400.0mm ± 1% WORKING DISTANCE (REF): 393.2mm CLEAR APERTURE: > Ø 45.72mm SURFACE QUALITY: 40-20 SCRATCH-DIG COATING: BBAR Ravg<0.5% FROM 650-1050nm, AOI: 0°, ON OUTER OPTICAL SURFACES

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION					
	NAME	DATE	Ø 2" MOUNTED PLANO-CONVEX		VFX
DRAWN	GG	15/OCT/15	LENS, f=400mm, -B COAT		
APPROVAL	DD	15/OCT/15			REV
COPYRIGHT © 2015 BY THORLABS		BY THORLABS	SEE TABLE A		A
VALUES IN PARENTHESIS ARE CALCULATED			ITEM #	APPROX WE	IGHT