





## NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5. 6. 7. 8.
- DESIGN WAVELENGTH: 4µm
  FOCAL LENGTH: f=25.4mm±1%
  BACK FOCAL LENGTH(REF): bf=24.4mm
  CLEAR APERTURE: >22.86mm
  SURFACE QUALITY: 60-40 SCRATCH-DIG
  CENTRATION: <3arcmin
  DIAMETER TOLERANCE: +0.0/-0.1mm
  THICKNESS TOLERANCE: ±0.1mm
  COATING: BBAR Ravg<1.25% FROM 2.0-5.0µm, 0° AOI
  ON BOTH OPTICAL SURFACES

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION			THORLASS www.thorlabs.com			
	NAME	DATE	SILICON PLANO-CONVEX LEN			
DRAWN	EMT	26/MAR/14	$\emptyset$ 25.4mm, f=25mm, BBAR: 2.0-5.0			μm
APPROVAL	MI	08/APR/14	MATERIAL			REV
COPYRIGHT © 2014 BY THORLABS			SILICON			В
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			ITEM #	LA8281-E	APPROX WE	IGHT