
	PART DESCRIPTION	MATERIAL
1)	SM2RR	ANODIZED ALUMINUM
2	LC1611-B	N-BK7
3	ENGRAVED HOUSING	ANODIZED ALUMINUM





## NOTES/SPECIFICATIONS:

- 1. 2. 3. 4. 5.
- DESIGN WAVELENGTH: 633nm
  FOCAL LENGTH: f=-149.9mm ±1%
  WORKING DISTANCE (REF): -135.7mm
  CLEAR APERTURE: > Ø 45.72mm
  SURFACE QUALITY: 40-20 SCRATCH-DIG
  COATING: BBAR Ravg<0.5% FROM 650-1050nm, AOI: 0°,
  ON OUTER OPTICAL SURFACES

## FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION		$\Rightarrow \Box$	THORLABS www.thorlabs.com		
	NAME	DATE	Ø2" MOUNTED PLANC		VE
DRAWN	GG	20/NOV/15	LENS, f=-150mm, -B COAT		
APPROVAL	DD	20/NOV/15	MATERIAL		RE\
COPYRIGHT © 2015 BY THORLABS		BY THORLABS	SEE TABLE		Α
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			ITEM #	APPROX WE	IGH
			LC1611-B-ML	58 g	