





NOTES/SPECIFICATIONS:

- DESIGN WAVELENGTH: 10.6 µm

- DESIGN WAVELENGTH: 10.6 µm
 FOCAL LENGTH: f=1,000.0 mm±1%
 BACK FOCAL LENGTH(REF): bf=999.1 mm
 CLEAR APERTURE: > Ø 20.3 mm
 SURFACE QUALITY (\$1, \$2): 60-40 \$CRATCH-DIG
 CENTRATION: <3 arcmin
 DIAMETER TOLERANCE: +0.0/-0.1 mm

- THICKNESS TOLERANCE: ±0.1 mm COATING (\$1, \$2): BBAR 4.5-7.5 µm, Ravg: <1.0%, Rabs: <2.0%, Tavg: >97%, Tabs: >94%, 0° AOI

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

	DRAWING PROJECTION			THORLABS.com		
		NAME	DATE	ZnSe PLANO-CONVEX LENS,		
	DRAWN	GG	30/MAY/19	Ø25.4 mm, f=1,000 mm, BBAR: 4.5-7.5		μm
	APPROVAL	DD	30/MAY/19	ZINC SELENIDE		REV
	COPYRIGHT © 2019 BY THORLABS			ZIINC SELLINIDE		Α
	VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			ITEM # LA7753-E2	APPROX WE	IGHT