

NOTES/SPECIFICATIONS:

- 1. CLEAR APERTURE: >90% DIAMETER
- SURFACE ACCURACY: $\lambda/4$ AT 632.8nm OVER CLEAR APERTURE SURFACE QUALITY: 20-10 SCRATCH-DIG BACK SURFACE: FINE GROUND THICKNESS TOLERANCE: ± 0.2 mm 2. 3.
- 4.
- 5.
- 6.
- 7.
- DIAMETER TOLERANCE: + 0.0/-0.2 mm COATING: BROADBAND HR, DIELECTRIC Rs and Rp >99% OVER WAVELENGTH RANGE AOI: 0° TO 45°

FOR INFORMATION ONLY NOT FOR MANUFACTURING PURPOSES

DRAWING PROJECTION					
	NAME	DATE	ϕ 75.0mm, f= 75.0mm BROADBAND		
DRAWN	MG	15/JUN/11	MIRROR 750-1100nm		
APPROVAL	PM	13/JUL/11	MATERIAL		REV
COPYRIGHT © 2010 BY THORLABS			N-BK7		Α
VALUES IN PARENTHESIS ARE CALCULATED AND MAY CONTAIN ROUNDOFF ERRORS			^{ITEM #} СМ750-075-E03	APPROX WE	ight (g